



## AMD 760G/SB710 Motherboard

- Socket AM3
- Supports AMD Phenom II / Athlon II Processors
- Hyper Transport Technology up to 3.2G
- Supports AMD Cool'n'Quiet Technology
- It is recommended to use 95w CPU
- Supports BIO-Remote 2 Technology

### BIO-Remote 2

BIO-Remote2 Technology is featuring users a better Home Theater environment. Users who own either Android mobile or Apple goods are able to access and control your PC remotely; At this moment, you're smart device became a intelligent and functional remote controller; more than that, BIO-Remote2 also includes both function of mouse pad and power point presentation mode

### SmartSpeedLAN

SmartSpeedLAN is a free software application which monitors and manages your PC's network behavior. With user-friendly GUI, it allows you to select and prioritize different types of network traffic, including gaming, media streaming, communications or web surfing. You can also set any specific applications, choosing to prioritize or block accordingly. SmartSpeedLAN can feature automatic management options that use adaptive networking intelligence to ensure that you are getting the best online experience possible.

### Charger Booster

Charger booster is the best and efficient charger solution for apple devices such as iPad, iPhone. Basically, Charger booster Technology is able to boost the charging time to be more efficiency and faster once any apple goods connecting to our Motherboard. With charger booster technology, you are able to charge your apple devices up to 42 % faster.

### AMD 760G+SB710

Powered by ATI Radeon™ Graphics, DirectX® 10 introduces detail-rich images and dynamic interactivity designed for playing the latest DirectX® 10 games. AMD® 760G Chipset is designed with up to 5200MT/s HyperTransport™ 3.0 (HT3.0) interface and PCI Express™ 2.0 x 16 graphics. It has enhanced AMD's latest AM3/AM2+ and multi-core CPUs to experience life-like images and dynamic interactivity when playing the latest games or editing digital photos and videos.

## Specifications

### Motherboard Specifications

#### Processor Socket

AMD

#### Processor Interface

Socket AM3

#### Form Factor

MicroATX

#### Processors Supported

AMD Sempron

Phenom II X4

Phenom II X3

Athlon II X2

	Phenom II X2
	Athlon II X4
	Athlon II X3
Additional Technologies	AMD Cool 'n' Quiet
HyperTransport Bus	3.2G
Chipset	
Northbridge	AMD 760G
Southbridge	SB710
Memory	
Memory Type	DDR3
Memory Supported	DDR3 1333 MHz
	DDR3 1066 MHz
	DDR3 800 MHz
	DDR3 1600 MHz (O.C.)
Maximum Memory Supported	16GB
Number of Slots	2
Audio	
Channels	6 Channels
Audio Chipset	VIA VT1708B

Video	
Video Chipset	ATI Radeon HD3000
Video Memory	Up to 1024 MB
LAN	
LAN Type	10/100 Mbps
I/O Ports	
PS/2 Keyboard Connectors	1
PS/2 Mouse Connectors	1
USB Ports (Total)	4
LAN Ports	1
Audio Out Jacks	3
Serial ATA 3.0Gb/s Headers	4
Fan Connectors	1 x CPU
	1 x System
VGA Ports	1
Expansion Slots	
PCI Slots	1
PCI Express X16 Slots	1
RAID	

RAID Support	Yes
RAID Modes	0
	1
	10
Dimensions	
Length	18.2 cm
Width	22.5 cm