

EasyN F-M1BF 0.3MP CMOS Wireless IP Camera Support Monitor by Cellphone for Outdoor Use



Main Features:

- Waterproof, 0.3MP CMOS sensor for outdoors use
- Night vision function (66Φ3 LED lights)
- Wi-Fi compliant with wireless standards IEEE 802.11b/g
- Supports three-level account, password, user multi-level authority management
- Support monitor via computer and most of intelligent cellophane (such as Android, iPhone cellphone)
- Easy to operate, DIY installation

Specifications:

M o d e l : F - M 1 B F		
CPU	Operation system	Embedded Linux OS


	Microcomputer processor	32 bit RSIC embedded processor
Network	Interface	RJ-45, 10/100Mb, Self-adaptable ethernet slot
	Protocol	Support TCP/IP, HTTP, ICMP, DHCP, FTP, SMTP, PPPoE etc
	Wireless	Wi-Fi 802.11 b/g/n
	IP mode	Dynamic IP address, static IP address, PPPOE
	Online visitor	Support 4 visitors at the same time
Video	Compression format	Motion-JPEG
	Image sensor	0.3MP CMOS
	Lens standard	3.6mm SBC lens
	Frame rate	25fps
	Zoom	3X optical zoom
	Resolution	640 x 480 (VGA), 320 x 240 (QVGA) ,160 x 120 (QQVGA)
	Image adjustment	Brightness, contrast
	WB, BLC	Auto
	LUX	0.3LUX/F1.2
	SNR	>48dB
	Lens	3.6mm SBC lens
Audio	Compression format	G.711/G.726
	Input	Built-in Mircophone
	Output	Video output
PTZ	Motor	Built-in motor control
	Rotation angle	Horizontal: 355 degrees
		Vertical: 90 degrees
	Preset	No
	PTZ protocol	Standard protocol: PELCO-D
		Baud rate :4800
		Support external PTZ

Nightvision	Filter switch	Auto-switch automatically, without color cast
	LED	66Φ3 LED lights
	IR distance	20 meters
Alarm	Input/output	Motion detection/FTP server, email notification, HTTP
	Alarm detection	Motion detection, Detection sensitivity settings
	Alarm notification	FTP server, email notification, HTTP
Others	Material	Aluminum alloy
	Environment	Water-proof outdoor use
	Power supply	DC12V 1A
	Operating temperature	-10 - 50 Celsius degree
	Operating humidity	10% - 90%RH
	System requirement	Win98 SE/ME/2000/XP, Vista, Win7, Internet Explorer8.0
	Language	English, Chinese
	Product weight	1.0 kg
	Package weight	1.37 kg
	Product size (L x W x H)	20.0 x 16.0 x 18.0 cm
	Package size (L x W x H)	25.5 x 19.5 x 24.0 cm

○

Package Contents:

- 1 x F-M1BF IP Camera
- 1 x Power Adapter
- 1 x CD
- 1 x Srew Set
- 1 x Bracket
- 1 x Antenna
- 1 x User Manual



Installation

Model:F-M1BF

