Samsung SCX-4729FD Mono Laser Multifunction Printer with Networking & Duplex (2-sided) - Print, Copy, Scan, Fax, Up to 29 ppm, Up to 1200 x 1200 dpi, Ethernet 10/100

Return Policy

For support on this product, please contact Samsung at 1-888-987-HELP(4357). Defective exchanges for identical item within 30 days of purchase permitted on this product with prior manufacturer approval.

Samsung SCX-4729FD Mono Laser Multi-Function Printer
The Samsung SCX-4729FD Mono Laser Multi-Function Printer lets you do more in less space. You can print, copy, scan and fax with the highest level of professionalism, whether you're in a small office or a small workgroup. A pop-up numeric keypad makes control simple, whether you're printing razor-sharp copies at 1,200 dpi and 29 ppm, or whether you're scanning in documents for easy faxing. A 50-sheet Automatic Document Feeder makes duplex copying/printing fast and efficient, saving you paper and money, while eco-friendly features save even more money, while saving the planet. The Samsung SCX-4729FD Mono Laser Multi-Function Printer is business innovated.

What It Is and Why You Need It:

- Print, Copy, Scan, Fax; do it all from one, compact machine
- Fast print and copy speeds; up to 29 ppm/cpm and first page out times of less than 8.5 seconds (print) and less than 14 seconds (copy)
- Built-in Duplex Printing; use paper more efficiently, without having to stop and turn the paper over
- Automatic Document Feeder; holds 50 sheets
- 12,000-page Monthly Duty Cycle; reliable when you need it

A Closer Look:

SAMSUNG

SAMSUNG

SAMSUNG


Document Feeder Cover
Document Feeder Guide Cover
Output Tray

Output Tray
Control Panel
SAMSUNG
Front Cover
Manual Feeder Tray
Tray 1 (Closed)
Paper Level Indicator

Darkness Button
Eco Button
ID Copy Button
Power Button
SCX-4729FD
Fax Button
Copy Button
Scan Button
Display


Address Book Button
Redial / Pause Button
Left Button
Alphanumeric Button
Menu Button
OK Button
Right Button
Back Button
Stop / Clear
Start
Status
Status Indicator
Stop / Clear Button
On Hook Dial Button

Input Tray
Paper Width Guide
Output Support
SAMSUNG
Tray 1 (Open)

Scanner Lid
Scanner Glass
SAMSUNG

Vents

Vents



Additional Specifications

PRINT

- **Speed :** Up to 29 ppm in Letter
- **Emulation :** PCL6/5e, SPL (Samsung Printer Language)
- **Duplex :** Built-in

COPY

- **Copy Speed :** Up to 29 ppm in letter
- **Resolution :** Up to 1200 x 1200 dpi
- **First Copy Out Time :** As fast as 14 seconds
- **Zoom Range :** 25% to 400%
- **Multi Copy :** 1–99

SCAN

- **Optical Resolution :** 1200 x 1200 dpi
- **Enhanced Resolution :** 4800 x 4800 dpi
- **Network Scan :** Yes

FAX

- **Modem Speed :** 33.6Kbps
- **Resolution :** Standard: 203 x 98 dpi, Fine: 203 x 196 dpi, Superfine: 300 x 300 dpi. Color: Up to 200 x 200 dpi
- **Fax Memory :** 600 pages
- **Fax Features :** Fax to PC, Speed Dial, Auto Redial, On Hook Dial, Last Number Redial, Delayed Fax, Fax Forward to Fax/PC, Duplex Receive, Junk Fax Barrier, Auto Reduction

PAPER HANDLING

- **Input Capacity, Standard :** 250-sheet Cassette, 1-sheet Multi Purpose Tray

- **ADF Capacity :** 50-sheet Duplex ADF
- **Output Capacity and Type :** 120 sheets face down
- **Media Size :** 3" x 5" – 8.5" x 14"

GENERAL

- **Processor :** Samsung 533MHz
- **Memory :** 128 MB
- **OS Compatibility :** Windows 7/2008/Vista/2003/XP/2000, Various Linux, Unix, Mac
- **Interface :** Hi-Speed USB 2.0, Ethernet 10/100 Base TX
- **Weight :** 22.7 lbs.
- **Toner Cartridge :** MLT-D103S or MLT-D103L

Specifications

Printer Specifications	
Condition	New
Print Method	Laser
First Page Output Time	Less than 8.5 seconds from Ready
Maximum Duty Cycle	12,000 Pages Per Month
Color Output	Monochrome
Printer Use	Label
	Plain Paper
	Transparencies
	Card Stock
All-In-One	Yes
Fax Capability	Yes
Network Ready	Yes
Automatic Feeder	Yes
Print Speed B/W	29 ppm

Dimensions	16" X 13.3" X 15.1"
Resolution	Up to 1200 x 1200 dpi effective output
Interface	
Connectivity	USB 2.0
	Ethernet 10/100
Printer Paper Handling	
Standard Paper Input	250-sheet Cassette
	1-sheet Multi Purpose Tray
Standard Paper Output	120 Sheets Face Down
Duplex Printing	Automatic
Fax Specifications	
Transfer Rate	33.6 kbps
Print Properties	
Processor	533MHz
Memory Included	128MB Memory